

elluminate - Known Defects

The following defects were discovered in Release 23.3.0 or a previous release and have been either fixed in this release or will be in a future release. A description of each defect and any available workarounds are provided. Internal issue numbers are included for reference. For inquiries, please contact eCS support.

Internal Issue #	Component/s	Description	Workaround	Affected Version/s	Fix Version
ECCA-159	CDA	On the CDA Swimmers Plot With Subjects' Overall Response sheet, when a subject has more than one disease type, the Group Assignment chart shows the sum of all disease types for duration (instead of the max).	On the Group Assignment toggle, if the On Treatment bar is larger than the Continued Treatment, the subject has more than one disease type. Click on the Disease Type toggle to see the correct durations.	23.1.0, 23.2.0	23.3.0
ECCA-129	CTOA	On the CTOA Enrollment Trend sheet, the Subject Enrollment line chart (at the bottom of the sheet) is not showing the cumulative # of enrolled subjects properly.	None	23.2.0	23.3.0
EL-22201	Data Central	In Data Central listings, the column filter for a TIME data type displays as a DATE filter instead of a TIME filter.	None	22.2.0	24.1.0
EL-21099	Exporter, SCE	Program execution error produced when the dependent dataset has a variable with name >32 characters.	Use Mapper to shorten the variable name to less than 32 characters.	23.2.0	23.3.0
EL-22714	Issues Module, RBQM	In KRI issue notification emails, the 'Issue Priority' column was missing values, which caused a left shift of other column values.	None	23.1.0	23.3.0
EL-24631	ODR	Within Fields Config, users can group custom variables into the pre-defined groups by using the drag and drop feature. However, manual renaming of the group name is not possible for the 'Protocol Deviation' form due to the presence of multi-select groups in the pre-defined groups.	Users can group the custom variables by dragging and dropping them into the pre-defined groups.	23.3.0	24.1.0
EL-24614	ODR	Currently, the sub-form grid is restricted to display top 50 records in the UI considering the application performance criteria.	Users can download the complete data using the Export (CSV/EXCEL) option through the Exporter module.	23.3.0	24.1.0
EL-24546	RACT	Users are able to Accept Risk even when the Risk Statement has Action Plan(s) added.	Users can choose not to click on the 'Accept Risk' button when Action Plans are added.	23.2.0, 23.3.0	23.3.0

Internal Issue #	Component/s	Description	Workaround	Affected Version/s	Fix Version
EL-23799	RACT	When configuring a new study in RACT, if a user navigates to another study with a completed configuration, every page from the other study will appear when the user navigates back to the new study.	Do not navigate to other studies while configuring a new study. Once the user approves a configuration version and clicks the 'Start your first Assessment' button in the Assessments tab, everything will be fixed and work as expected.	23.1.0, 23.2.0, 23.3.0, 23.2.0-1	23.3.0
EL-21504	RACT	RACT Assessment Read Only users are able to view RACT studies to which they do not have access by directly copying and pasting a RACT study URL.	None	23.1.0	23.3.0
EL-19777	RACT	Both the RACT 'Assessments Overview' report and the 'Version Compare' report generate blank pages.	None	22.3.0, 23.1.0	23.3.0
EL-18803	RBQM	The actual Site Summary Score is lower than the score displayed when a Site does not have data in any of the study-defined KRIs.	None	22.3.0, 23.1.0, 23.2.0	23.3.0
EL-15504	RBQM	When Site / Country Risk Actions are added in KRI Configuration, the KRI disappears from the KRI Summary panel in both the Overview dashboard and KRIs dashboard upon running RBQM tasks.	None	22.1.0, 22.1.1	23.3.0
EL-24708	SCE	When SCE parses a SAS program file to determine dataset dependencies, it is not finding multiple datasets when they appear as part of the same SET statement and only have a single space between the dataset references.	Add extra space between dataset references.	23.3.0	24.1.0
EL-24234	SCE	If a file is moved from 'In Production' to 'In Development, and back to 'In Production' without closing the tab in the Editor, opening the previous 'In Production' version of the file from the Versions subpanel will result in two tabs being opened.	Close duplicate tabs from right to left once the user is done reviewing the previous version.	22.3.0, 23.1.0, 23.2.0	23.3.0
EL-24198	SCE	The Copy/Move button is enabled when no destination folder is selected; thus, files/folders will be copied or moved to the user's My Workspace.	Do not click the Copy/Move button if no folder is selected after searching for a destination folder in the folder tree.	22.3.0, 23.1.0, 23.2.0	23.3.0

Internal Issue #	Component/s	Description	Workaround	Affected Version/s	Fix Version
EL-24197	SCE	The Create button is enabled when no destination folder is selected; thus, files/folders will be created in the user's My Workspace.	Do not click the Create button if no folder is selected after searching for a destination folder in the folder tree.	22.3.0, 23.1.0, 23.2.0	23.3.0
EL-23999	SCE	A vertical scrollbar is missing in the SAS Work Library.	None	23.1.0, 23.2.0	23.3.0
EL-23798	SCE	The 'Commit File' option is enabled for Data items in the RStudio Session file tree.	Do not use the Commit option on any RStudio session items in an ~SCE~Data folder; otherwise, the user will receive an error message. To clear these from the session, use the Remove option.	23.1.0, 23.2.0	23.3.0
EL-22980	SCE	Output written to a global datastore named 'Global' was not returned after program execution.	Send datasets to a different global datastore not named "Global," or amend global datastore name.	22.3.0, 23.1.0, 23.2.0	23.3.0
EL-22376	SCE	Users cannot delete an SCE file if it is dependent on a deleted file.	Recover deleted file and remove dependency.	22.3.0, 23.1.0, 23.2.0	23.3.0